

## ESTIMATE OF FOREST CHOWKI

(Total Area = 2016 sq. ft. + Court Yard 487 sq. feet)

1. C/C length of walls in Chowki =  $41.25 \times 4 + 47.25 \times 2 + 15.5 \times 1$  running feet  
= 275 running feet  
= 83.82 running meter
2. C/C length of court yard walls =  $13.5 \times 2 + 31.5 \times 1$  running feet  
= 58.5 running feet  
= 17.83 running meter
3. No. of columns in chowki = 20
4. No. of columns in courtyard = 4
5. Size of each column = 9 inches x 9 inches
6. Plinth = 0.5 meter above ground level
7. Beam at plinth level = 9 inches x 6 inches
8. Beam at door level = 9 inches x 6 inches
9. Beam at roof level = 9 inches x 9 inches
10. Thickness of slab = 4 inches

### Estimate of different works

#### 1. Excavation:

- (i) For columns =  $(20 + 4) \times 1.0 \times 1.0 \times 1.2$  meter  
= 28.800 cubic meter
- (ii) For walls =  $[(83.82 + 17.83) - 61 \times 0.5] \times 0.3 \times 0.5$   
= 10.672 cubic meter
- (iii) Total excavation = 39.472 cubic meter

## 2. Filling foundation with 1:3:6 (M-10) cement concrete:

- (i) For columns  $= (20 + 4) \times 1.0 \times 1.0 \times 0.1$   
 $= 2.4$  cubic meter
- (ii) For walls  $= (83.82 + 17.83) \times 0.3 \times 0.1$   
 $= 3.049$  cubic meter
- (iii) For flooring in rooms  $= 14.63 \times 12.80 \times 0.1$   
 $= 18.726$  cubic meter
  
- (iv) Total CC  $= 24.175$  cubic meter

## 3. R.C.C. work in 1:1.5:3 (M-20) in columns, beams, chajjas & slab:

- (i) Columns footing  $= 24 \times (1 \times 1 + 0.22 \times 0.22) / 2 \times 0.3$   
 $= 3.774$  cubic meter
- (ii) Columns up to plinth level  $= 24 \times 1.2 \times 0.22 \times 0.22$   
 $= 1.394$  cubic meter
- (iii) Column up to roof level  $= 20 \times 0.22 \times 0.22 \times 3.1$   
 $= 3.00$  cubic meter
- (iv) Column in court yard  $= 4 \times 0.22 \times 0.22 \times 1.8$   
 $= 0.348$  cubic meter
- (v) Beam at plinth level  $= (83.82 + 17.83) \times 0.22 \times 0.15$   
 $= 3.354$  cubic meter
- (vi) Beam at door level  $= 83.82 \times 0.22 \times 0.15$   
 $= 2.766$  cubic meter
- (vii) Beam at roof level  $= 83.82 \times 0.22 \times 0.22$   
 $= 4.056$  cubic meter
- (viii) Chajjas  $= 10 \times 0.6 \times 1.5 \times 0.1$   
 $= 0.90$  cubic meter
- (ix) Slab  $= (14.63 \times 12.80) \times 0.1$   
 $= 18.726$  cubic meter
- (x) Total RCC  $= 38.318$  cubic meter

4. **Steel required in RCC** = 1.50 % of volume of RCC  
= 4511 kg
5. **Masonry in foundation/plinth** =  $(83.82 + 17.83) \times 0.22 \times 0.9$   
= 20.127 cubic meter
6. **Masonry in superstructure:**
- (i) In main building =  $83.82 \times 0.22 \times 2.85$   
= 52.555 cubic meter
- (ii) In courtyard =  $17.83 \times 0.22 \times 1.8$   
= 7.061 cubic meter
- (iii) Deduction for doors/windows =  $(4 \times 1.07 \times 2.1 + 8 \times 0.838 \times 2.1 + 9 \times 1.5 \times 1.35 + 1 \times 1.2 \times 1.35 + 3 \times 0.6 \times 0.45) \times 0.22$   
= 9.619 cubic meter
- (iv) Total Masonary = 49.997 cubic meter
7. **Plaster in 1:6 cement mortar**
- (i) In main building =  $2 \times 83.82 \times 3.0$   
= 502.92 square meter
- (ii) In courtyard =  $2 \times 17.83 \times 1.8$   
= 64.188 square meter
- (iii) In roof =  $12.80 \times 14.63$   
= 187.264 square meter
- (iv) Deduction for doors/windows =  $2 \times (4 \times 1.07 \times 2.1 + 8 \times 0.838 \times 2.1 + 9 \times 1.5 \times 1.35 + 1 \times 1.2 \times 1.35 + 3 \times 0.6 \times 0.45)$   
= 87.445 square meter
- (vi) Total plaster = 479.663 square meter

## 8. Centering and shuttering:

- (i) For Columns in main building =  $20 \times 4 \times 0.22 \times 4.6$   
= 80.96 square meter
- (ii) For columns in courtyard =  $4 \times 4 \times 0.22 \times 3.3$   
= 11.616 square meter
- (iii) For beam at plinth level =  $(83.82 + 17.83) \times 0.3$   
= 30.495 square meter
- (iv) For beam at door level =  $83.82 \times 0.525$   
= 44.005 square meter
- (iv) For beam at roof level =  $83.82 \times 0.66$   
= 55.321 square meter
- (v) For chajjas =  $10 \times 0.6 \times 1.5$   
= 9.00 square meter
- (vi) For slab =  $14.63 \times 12.80$   
= 187.264 square meter
- (vii) Total shuttering = 418.661 square meter

9. Filling foundation with moorum =  $14.63 \times 12.80 \times 0.5$   
= 93.632 cubic meter

10. Wood required for frames =  $0.0635 \times 0.127 \times (4 \times 5.334 + 8 \times 5.105 + 9 \times 8.534 + 1 \times 5.4 + 6 \times 2.1)$   
= 1.266 cubic meter

11. Frame work for doors/window =  $(4 \times 1.07 \times 2.1 + 8 \times 0.838 \times 2.1 + 9 \times 1.5 \times 1.35 + 1 \times 1.2 \times 1.35 + 3 \times 0.6 \times 0.45)$   
= 43.722 square meter

12 Flooring =  $14.63 \times 12.80$   
= 187.264 square meter